GC - Mark Setup



P = Logical Processor per Hardware Thread
M = Machine per OS Thread
G = Goroutine (Coroutine)

= Write barrier on
= Paused
= Running
= noscan mspan

= GC Root
= Alive
= Unknown/Dead
= Partial

GC - Mark Setup



P = Logical Processor per Hardware Thread
M = Machine per OS Thread
G = Goroutine (Coroutine)

= Write barrier on
= Paused
= Running
= noscan mspan

= GC Root
= Alive
= Unknown/Dead
= Partial

GC - Mark Setup



P = Logical Processor per Hardware Thread
M = Machine per OS Thread
G = Goroutine (Coroutine)

= Write barrier on
= Paused
= Running
= noscan mspan

= GC Root
= Alive
= Unknown/Dead
= Partial

GC - Marking



P = Logical Processor per Hardware Thread
M = Machine per OS Thread
G = Goroutine (Coroutine)

= Write barrier on
= Paused
= Running
= noscan mspan

= GC Root
= Alive
= Unknown/Dead
= Partial

GC - Marking



P = Logical Processor per Hardware Thread
M = Machine per OS Thread
G = Goroutine (Coroutine)

= Write barrier on
= Paused
= Running
= noscan mspan

= GC Root
= Alive
= Unknown/Dead
= Partial

GC - Marking



P = Logical Processor per Hardware Thread
M = Machine per OS Thread
G = Goroutine (Coroutine)

= Write barrier on
= Paused
= Running
= noscan mspan

= GC Root
= Alive
= Unknown/Dead
= Partial

GC - Marking



P = Logical Processor per Hardware Thread
M = Machine per OS Thread
G = Goroutine (Coroutine)

= Write barrier on
= Paused
= Running
= noscan mspan

= GC Root
= Alive
= Unknown/Dead
= Partial

GC - Marking



P = Logical Processor per Hardware Thread
M = Machine per OS Thread
G = Goroutine (Coroutine)

= Write barrier on
= Paused
= Running
= noscan mspan

= GC Root
= Alive
= Unknown/Dead
= Partial

GC - Marking



P = Logical Processor per Hardware Thread
M = Machine per OS Thread
G = Goroutine (Coroutine)

= Write barrier on
= Paused
= Running
= noscan mspan

= GC Root
= Alive
= Unknown/Dead
= Partial

GC - Marking



P = Logical Processor per Hardware Thread
M = Machine per OS Thread
G = Goroutine (Coroutine)

= Write barrier on
= Paused
= Running
= noscan mspan

= GC Root
= Alive
= Unknown/Dead
= Partial

GC - Marking



P = Logical Processor per Hardware Thread
M = Machine per OS Thread
G = Goroutine (Coroutine)

= Write barrier on
= Paused
= Running
= noscan mspan

= GC Root
= Alive
= Unknown/Dead
= Partial

GC - Marking



P = Logical Processor per Hardware Thread
M = Machine per OS Thread
G = Goroutine (Coroutine)

= Write barrier on
= Paused
= Running
= noscan mspan

= GC Root
= Alive
= Unknown/Dead
= Partial

GC - Marking



P = Logical Processor per Hardware Thread
M = Machine per OS Thread
G = Goroutine (Coroutine)

= Write barrier on
= Paused
= Running
= noscan mspan

= GC Root
= Alive
= Unknown/Dead
= Partial

GC - Marking



P = Logical Processor per Hardware Thread
M = Machine per OS Thread
G = Goroutine (Coroutine)

= Write barrier on
= Paused
= Running
= noscan mspan

= GC Root
= Alive
= Unknown/Dead
= Partial

GC - Marking



P = Logical Processor per Hardware Thread
M = Machine per OS Thread
G = Goroutine (Coroutine)

= Write barrier on
= Paused
= Running
= noscan mspan

= GC Root
= Alive
= Unknown/Dead
= Partial

GC - Marking



P = Logical Processor per Hardware Thread
M = Machine per OS Thread
G = Goroutine (Coroutine)

= Write barrier on
= Paused
= Running
= noscan mspan

= GC Root
= Alive
= Unknown/Dead
= Partial

GC - Marking



P = Logical Processor per Hardware Thread
M = Machine per OS Thread
G = Goroutine (Coroutine)

= Write barrier on
= Paused
= Running
= noscan mspan

= GC Root
= Alive
= Unknown/Dead
= Partial

GC - Marking



P = Logical Processor per Hardware Thread
M = Machine per OS Thread
G = Goroutine (Coroutine)

= Write barrier on
= Paused
= Running
= noscan mspan

= GC Root
= Alive
= Unknown/Dead
= Partial

GC - Marking



P = Logical Processor per Hardware Thread
M = Machine per OS Thread
G = Goroutine (Coroutine)

= Write barrier on
= Paused
= Running
= noscan mspan

= GC Root
= Alive
= Unknown/Dead
= Partial

GC - Marking



P = Logical Processor per Hardware Thread
M = Machine per OS Thread
G = Goroutine (Coroutine)

= Write barrier on
= Paused
= Running
= noscan mspan

= GC Root
= Alive
= Unknown/Dead
= Partial

GC - Marking



P = Logical Processor per Hardware Thread
M = Machine per OS Thread
G = Goroutine (Coroutine)

= Write barrier on
= Paused
= Running
= noscan mspan

= GC Root
= Alive
= Unknown/Dead
= Partial

GC - Marking



P = Logical Processor per Hardware Thread
M = Machine per OS Thread
G = Goroutine (Coroutine)

= Write barrier on
= Paused
= Running
= noscan mspan

= GC Root
= Alive
= Unknown/Dead
= Partial

GC - Marking



P = Logical Processor per Hardware Thread
M = Machine per OS Thread
G = Goroutine (Coroutine)

= Write barrier on
= Paused
= Running
= noscan mspan

= GC Root
= Alive
= Unknown/Dead
= Partial

GC - Marking



P = Logical Processor per Hardware Thread
M = Machine per OS Thread
G = Goroutine (Coroutine)

= Write barrier on
= Paused
= Running
= noscan mspan

= GC Root
= Alive
= Unknown/Dead
= Partial

GC - Marking



P = Logical Processor per Hardware Thread
M = Machine per OS Thread
G = Goroutine (Coroutine)

= Write barrier on
= Paused
= Running
= noscan mspan

= GC Root
= Alive
= Unknown/Dead
= Partial

GC - Marking



P = Logical Processor per Hardware Thread
M = Machine per OS Thread
G = Goroutine (Coroutine)

= Write barrier on
= Paused
= Running
= noscan mspan

= GC Root
= Alive
= Unknown/Dead
= Partial

GC - Marking



P = Logical Processor per Hardware Thread
M = Machine per OS Thread
G = Goroutine (Coroutine)

= Write barrier on
= Paused
= Running
= noscan mspan

= GC Root
= Alive
= Unknown/Dead
= Partial

GC - Marking



P = Logical Processor per Hardware Thread
M = Machine per OS Thread
G = Goroutine (Coroutine)

= Write barrier on
= Paused
= Running
= noscan mspan

= GC Root
= Alive
= Unknown/Dead
= Partial

GC - Marking



P = Logical Processor per Hardware Thread
M = Machine per OS Thread
G = Goroutine (Coroutine)

= Write barrier on
= Paused
= Running
= noscan mspan

= GC Root
= Alive
= Unknown/Dead
= Partial

GC - Mark Terminate



P = Logical Processor per Hardware Thread
M = Machine per OS Thread
G = Goroutine (Coroutine)

= Write barrier on
= Paused
= Running
= noscan mspan

= GC Root
= Alive
= Unknown/Dead
= Partial

GC - Mark Terminate



P = Logical Processor per Hardware Thread
M = Machine per OS Thread
G = Goroutine (Coroutine)

= Write barrier on
= Paused
= Running
= noscan mspan

= GC Root
= Alive
= Unknown/Dead
= Partial